

# GALATHEA REPORT

Volume 13



# GALATHEA REPORT

Volume 13

*Scientific Results  
of The Danish Deep-Sea Expedition  
Round the World 1950-52*



ISSUED BY THE GALATHEA COMMITTEE

EDITOR:

*Torben Wolff, D. Sc.*

Deputy Leader of the Expedition

SCANDINAVIAN SCIENCE PRESS LTD.

COPENHAGEN

1975

Printed by Vinderup Bogtrykkeri 7/8  
DK-7830 Vinderup

Price: 200 Danish Kroner

ISBN 87-87519-01-1

# SYSTEMATICS AND BIOLOGY OF THE DEEP-SEA HOLOTHURIANS

## Part 1. Elasipoda

By BENT HANSEN

Zoological Museum, Copenhagen

### CONTENTS

I. Introduction .....	7	<i>L. theeli</i> Ludwig, 1894 .....	57
History of exploration .....	8	<i>L. violacea</i> Théel, 1879 .....	58
The <i>Galathea</i> collections .....	9	<i>L. scotoeides</i> (Clark, 1913) .....	61
The advantage of large gear in catching holothurians .....	9	<i>L. maculata</i> (Théel, 1879) .....	63
List by station of the Elasipoda collected by the <i>Galathea</i> .....	10	<i>L. ijimai</i> (Mitsukuri, 1897) .....	67
List by station of the Elasipoda collected by Dr. Th. Mortensen .....	12	<i>L. fimbriata</i> (Sluiter, 1901) .....	67
Re-examined material .....	13	<i>L. biserialis</i> Fisher, 1907 .....	70
Abbreviations of museum names .....	13	<i>Pannychia</i> Théel, 1882 .....	72
Methods of examination .....	14	<i>P. moseleyi</i> Théel, 1882 .....	72
		<i>Apodogaster</i> Walsh, 1891 .....	75
		<i>A. alcocki</i> Walsh, 1891 .....	75
		<i>A. sp.</i> .....	75
II. Systematic Part .....	14	Psychropotina n. subordo .....	75
Elasipoda Théel, 1882 .....	14	Psychropotidae Théel, 1882 .....	75
Deimatina n. subordo .....	14	<i>Benthodytes</i> Théel, 1882 .....	76
Deimatidae sensu Ekman, 1926 .....	15	<i>B. incerta</i> Ludwig, 1894 .....	77
<i>Deima</i> Théel, 1879 .....	16	<i>B. lingua</i> Perrier, 1896 .....	80
<i>D. validum</i> Théel, 1879 .....	16	<i>B. valdiviae</i> n. sp. ....	82
<i>D. v. validum</i> Théel, 1879 .....	17	<i>B. sibogae</i> Sluiter, 1901 .....	84
<i>D. v. pacificum</i> Ludwig, 1894 .....	24	<i>B. plana</i> n. sp. ....	87
<i>Oneirophanta</i> Théel, 1879 .....	24	<i>B. superba</i> Koehler & Vaney, 1905 .....	89
<i>O. mutabilis</i> Théel, 1879 .....	24	<i>B. typica</i> Théel, 1882 .....	89
<i>O. m. mutabilis</i> Théel, 1879 .....	24	<i>B. sanguinolenta</i> Théel, 1882 .....	94
<i>O. m. affinis</i> Ludwig, 1894 .....	32	<i>B. spp.</i> .....	96
<i>O. conservata</i> Koehler & Vaney, 1905 .....	36	<i>Psycheotrepes</i> Théel, 1882 .....	96
<i>O. setigera</i> (Ludwig, 1894) .....	36	<i>P. exigua</i> Théel, 1882 .....	96
<i>Orphnurgus</i> Théel, 1879 .....	38	<i>P. magna</i> n. sp. ....	97
<i>O. asper</i> Théel, 1879 .....	38	<i>P. recta</i> (Vaney, 1908) .....	99
<i>O. glaber</i> Walsh, 1891 .....	39	<i>Psychropotes</i> Théel, 1882 .....	99
<i>O. vitreus</i> (Fisher, 1907) .....	46	<i>P. belyaevi</i> n. sp. ....	100
<i>O. protectus</i> (Sluiter, 1901) .....	47	<i>P. semperiana</i> Théel, 1882 .....	102
Laetmogonidae Ekman, 1926 .....	47	<i>P. minuta</i> Koehler & Vaney, 1905 .....	106
<i>Benthogone</i> Koehler, 1896 .....	48	<i>P. depressa</i> (Théel, 1882) .....	106
<i>B. rosea</i> Koehler, 1896 .....	48	<i>P. scotiae</i> (Vaney, 1908) .....	111
<i>B. fragilis</i> (Koehler & Vaney, 1905) ..	49	<i>P. mirabilis</i> n. sp. ....	111
<i>B. abstrusa</i> (Sluiter, 1901) .....	51	<i>P. verrucosa</i> (Ludwig, 1894) .....	112
<i>Laetmogone</i> Théel, 1879 .....	52	<i>P. longicauda</i> Théel, 1882 .....	115
<i>L. interjacens</i> Sluiter, 1901 .....	53	<i>P. loveni</i> Théel, 1882 .....	126
<i>L. wyvillethomsoni</i> Théel, 1879 .....	54	<i>P. sp.</i> .....	127

Elpidiidae Théel, 1882 .....	127	<i>Kolga</i> Danielssen & Koren, 1879 .....	170
<i>Psychrelopedia</i> Hérouard, 1923 .....	131	<i>K. hyalina</i> Danielssen & Koren, 1879 ..	170
<i>P. discrepans</i> (Sluiter, 1901) .....	131	<i>Irpa</i> Danielssen & Koren, 1878 .....	171
<i>Rhipidothuria</i> Hérouard, 1901 .....	131	<i>I. abyssicola</i> Danielssen & Koren, 1878	171
<i>R. racowitzai</i> Hérouard, 1901 .....	131	<i>I. ludwigi</i> (von Marenzeller, 1893) ...	172
<i>Peniagone</i> Théel, 1882 .....	131	<i>Elpidia</i> Théel, 1876 .....	172
<i>P. porcella</i> Perrier, 1896 .....	134	<i>E. theeli</i> Hansen, 1956 .....	174
<i>P. mossmani</i> Vaney, 1908 .....	134	<i>E. minutissima</i> Belyaev, 1971 .....	175
<i>P. wiltoni</i> Vaney, 1908 .....	134	<i>E. chilensis</i> Belyaev, 1971 .....	175
<i>P. obsoleta</i> (Hérouard, 1899) .....	134	<i>E. adenensis</i> Belyaev, 1971 .....	175
<i>P. convexa</i> n. sp. ....	135	<i>E. sp. 2</i> Belyaev, 1971 .....	175
<i>P. rigida</i> (Théel, 1882) .....	136	<i>E. glacialis</i> Théel, 1876 .....	175
<i>P. humilis</i> n. sp. ....	138	<i>E. g. glacialis</i> Théel, 1876 .....	176
<i>P. azorica</i> von Marenzeller, 1893 .....	138	<i>E. g. sundensis</i> Hansen, 1956 .....	178
<i>P. affinis</i> Théel, 1882 .....	142	<i>E. g. uschakovi</i> Belyaev, 1971 .....	180
<i>P. incerta</i> (Théel, 1882) .....	143	<i>E. g. kermadecensis</i> Hansen, 1956 ..	180
<i>P. willemoesi</i> (Théel, 1882) .....	144	<i>E. g. solomonensis</i> Hansen, 1956 ...	180
<i>P. dubia</i> (D'yakonov & Savel'eva, 1958)	144	<i>E. g. kurilensis</i> Baranova et	
<i>P. incondita</i> Agatep, 1967 .....	145	Belyaev, 1971 .....	180
<i>P. papillata</i> n. sp. ....	145	<i>E. longicirrata</i> Belyaev, 1971 .....	181
<i>P. challengerii</i> Théel, 1882 .....	146	<i>E. birsteini</i> Belyaev, 1971 .....	181
<i>P. vignoni</i> Hérouard, 1901 .....	146	<i>E. hanseni</i> Belyaev, 1971 .....	181
<i>P. japonica</i> Ohshima, 1915 .....	147	<i>E. h. hanseni</i> Belyaev, 1971 .....	181
<i>P. elongata</i> (Théel, 1879) .....	147	<i>E. h. idzubonensis</i> Belyaev, 1971 ...	181
<i>P. verrucosa</i> (Théel, 1879) .....	147	<i>E. atakama</i> Belyaev, 1971 .....	181
<i>P. lugubris</i> Théel, 1882 .....	148	<i>E. sp. 3</i> Belyaev, 1971 .....	182
<i>P. vitrea</i> Théel, 1882 .....	148	<i>E. sp. 4</i> Belyaev, 1971 .....	182
<i>P. islandica</i> Deichmann, 1930 .....	150	III. General Part .....	182
<i>P. wyvillii</i> Théel, 1882 .....	150	A. The taxonomic characters and their	
<i>P. ferruginea</i> Grieg, 1921 .....	151	variation .....	182
<i>P. purpurea</i> (Théel, 1882) .....	151	The calcareous deposits .....	182
<i>P. foliacea</i> (Hérouard, 1912) .....	152	1. Intraspecific variation .....	183
<i>P. expansa</i> Koehler & Vaney, 1905 .....	152	2. Interrelationship of the different	
<i>P. intermedia</i> Ludwig, 1894 .....	152	types of deposit .....	183
<i>P. diaphana</i> (Théel, 1882) .....	153	The calcareous ring .....	186
<i>P. gracilis</i> (Ludwig, 1894) .....	155	The tubefeet and papillae .....	189
<i>P. spp.</i> .....	155	The tentacles .....	191
<i>Achlyonice</i> Théel, 1879 .....	155	The alimentary canal .....	192
<i>A. ealcareia</i> Théel, 1879 .....	156	The mesentery .....	192
<i>A. monactinica</i> Ohshima, 1915 .....	157	The external morphology of the gonads ...	194
<i>A. tui</i> (Pawson, 1965) .....	158	Conclusion .....	195
<i>Amperima</i> Pawson, 1965 .....	158	B. Biology .....	195
<i>A. rosea</i> (Perrier, 1896) .....	158	Feeding .....	195
<i>A. furcata</i> (Hérouard, 1899) .....	159	Reproduction .....	196
<i>A. naresi</i> (Théel, 1882) .....	159	1. Introductory remarks .....	196
<i>A. velacula</i> Agatep, 1967 .....	161	2. The material examined .....	198
<i>A. robusta</i> (Théel, 1882) .....	161	3. Conclusion .....	204
<i>A. insignis</i> (Théel, 1882) .....	162	Swimming and floating .....	204
<i>Ellipinion</i> Hérouard, 1923 .....	162	Function of the water-vascular dermal	
<i>E. delagei</i> (Hérouard, 1896) .....	163	cavities .....	205
<i>E. bucephalum</i> n. sp. ....	163	C. Systematics, relationship, and adaptation ..	206
<i>E. solidum</i> n. sp. ....	164	Monophyletic origin .....	206
<i>E. galatheae</i> (Hansen, 1956) .....	165	Evolutionary trends .....	206
<i>E. molle</i> (Théel, 1879) .....	165	The adaptation of the Elaspoda to the	
<i>E. papillosum</i> (Théel, 1879) .....	165	deep-sea environment .....	207
<i>E. kumai</i> (Mitsukuri, 1912) .....	166	The evidence of paleontology .....	208
<i>E. facetum</i> (Agatep, 1967) .....	166	Relationship to the other orders of the	
<i>E. sp.</i> .....	166	Holothurioidea .....	209
<i>Scotoplanes</i> Théel, 1882 .....	166	D. Bathymetric distribution .....	209
<i>S. globosa</i> (Théel, 1879) .....	167	Degree of exploration in relation to depth ..	209
<i>S. clarki</i> n. sp. ....	169		

Bathymetric distribution of the species . . . .	210	2. Penetration of species into the Mediterranean deep sea . . . . .	235
Bathymetric zonation of the deep sea . . . . .	210	3. Comparison with other groups . . . . .	235
Bathymetric distribution and taxonomic relationship . . . . .	214	Sediments and nutrient conditions . . . . .	235
Number of species and individuals in relation to depth . . . . .	217	Hydrostatic pressure . . . . .	237
E. Geographic distribution . . . . .	219	Currents . . . . .	238
The exploration of the different geographic regions . . . . .	219	Topography . . . . .	238
The bathyal fauna . . . . .	220	Conclusion . . . . .	239
The abyssal fauna . . . . .	221	G. The hadal fauna . . . . .	239
1. World-wide distributions . . . . .	223	The hadal environment . . . . .	239
2. The Antarctic Ocean . . . . .	224	General features of the hadal fauna . . . . .	240
3. The North Atlantic . . . . .	225	H. Evolutionary aspects . . . . .	243
4. The South Atlantic . . . . .	227	Evolution within the deep sea versus immigration from shallower depths . . . . .	243
5. The Indian Ocean . . . . .	227	Geographic variation . . . . .	244
6. The Indonesian seas . . . . .	228	1. Clines . . . . .	245
7. The Pacific Ocean . . . . .	231	2. Local variation . . . . .	245
8. The Arctic Basin . . . . .	232	3. Polytypic species . . . . .	245
9. The Mediterranean . . . . .	232	4. Superspecies . . . . .	246
The ranges of geographic distribution compared with those of other groups . . . . .	233	The alleged antiquity of the deep-sea fauna . . . . .	246
F. Distribution in relation to environmental factors . . . . .	233	IV. Summary . . . . .	247
Temperature . . . . .	233	V. References . . . . .	254
1. Faunal similarities between the polar sublittoral regions and the deep sea . . . . .	233	VI. Index to names of genera and species . . . . .	259

## I. INTRODUCTION

Among the five orders of the class Holothurioida, the Elasipoda are unique in being confined to the deep sea, i. e. to depths exceeding 200–400 meters.

The four remaining orders (Aspidochirota, Molpadonia, Dendrochirota, and Apoda) all include sublittoral as well as deep-sea groups. These orders will be dealt with in subsequent volumes of the Galathea Report.

The Holothurioida comprise about 1100 described species (Madsen 1954). Approximately 380 species belong to the deep sea.

Previous to the present revision, the Elasipoda comprised 171 species. Of these, 165 belonged to the benthic families Deimatidae, Laetmogonidae, Psychropotidae, and Elpidiidae, while the remaining six belonged to the pelagic family Pelagothuriidae. The present investigation deals with the four benthic families only. Eleven species are erected, while 18 previously described species are left out, being insufficiently described. The total number of recognized benthic species is reduced from 165 to 106.

In addition to the material brought home by the Galathea Expedition (1950–1952), the investi-

gation also includes the Elasipoda taken during three collecting voyages of the late Dr. Th. Mortensen during the years 1913–1930.

The working up of this global material made necessary a comparison with the described materials from earlier deep-sea expeditions. With this purpose visits were paid to the museums of London, Amsterdam, Paris, Monaco, Washington, and Cambridge (Mass.).

The present work discusses all the 106 known species of benthic Elasipoda, 75 of which have been examined.

Among the many people who have contributed with aid and advice to the present work I owe a particular debt to the late Dr. Anton Fr. Bruun, the inspiring scientific leader of the Galathea Expedition, who gave me the opportunity to participate in the expedition and afterwards placed at my disposal the rich material of holothurians.

I am indebted to all my deep-sea colleagues in the Zoological Museum, of whom I may mention Dr. F. J. Madsen, curator of echinoderms, and Dr. T. Wolff, editor of the Galathea Report.